L Number	Hits		DB	Time stamp
60	2	6446117.pn.	USPAT;	2004/04/26 14:38
:	:		US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
61	0	(manag%5 control%5) near5 (transaction)	USPAT;	2004/04/26 14:39
·-		near10 (messag\$5)	US-PGPUB;	2004/04/20 14.53
		,	EPO; JPO;	
			DERWENT;	
			IBM TDB	
62	1391	(manag\$5 control\$5) near5 (transaction)	USPAT;	2004/04/26 15:02
		near10 (messag\$5)	US-PGPUB;	
		_	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
63	150		USPAT;	2004/04/26 14:39
		adj(messag\$5)	US-PGPUB;	
			EPO; JPO;	
į			DERWENT;	
			IBM_TDB	
64	94	1 (USPAT;	2004/04/26 14:40
		adj(messag\$5)	US-PGPUB;	
			EPO; JPO;	
ļ			DERWENT;	
	_	(ma 046) 3 (/	IBM_TDB	
65	0	()	USPAT;	2004/04/26 14:59
		(transaction) near10 (messag\$5)) and (TCSI	US-PGPUB;	
		(transaction adj code adj status adj indicator))	EPO; JPO;	
	•	indicatory	DERWENT;	
66	o	((manag\$5 control\$5) near5 (transaction)	IBM_TDB USPAT;	2004/04/26 14:57
••	•	near10 (messag\$5)) and (TCSI (transaction	US-PGPUB;	2004/04/26 14:57
		adj code adj status adj indicator))	EPO; JPO;	
		adj bodo daj bododb daj indicacor,,	DERWENT;	
			IBM TDB	
67	o	(T1.246) and ((manag\$5 control\$5) near5	USPAT;	2004/04/26 14:57
		(transaction) near10 (messag\$5))	US-PGPUB;	
			EPO; JPO;	
	•		DERWENT;	
			IBM_TDB	
68	1	T1.246	USPAT;	2004/04/26 14:58
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
<u></u>			IBM_TDB	
69	0	((manag\$5 control\$5) near5 (transaction)	USPAT;	2004/04/26 14:59
		near10 (messag\$5)) and (TCSI (transaction	US-PGPUB;	
		adj code adj status adj indicator))	EPO; JPO;	-
İ			DERWENT;	
70	o	((manag\$5 control\$5) near5 (transaction)	IBM_TDB	2004/04/05 15 00
.	J	near10 (messag\$5)) and((attribut\$3) adj	USPAT;	2004/04/26 15:03
		(mask\$4))	US-PGPUB; EPO; JPO;	
		(massing 2/)	DERWENT;	1
i			IBM TDB	
-	607	709/208,209,210,211.ccls.	USPAT;	2003/12/10 12:40
		, , , , , , , , , , , , , , , , , , , ,	US-PGPUB;	2003/12/10 12:40
			EPO; JPO;	
ļ			DERWENT;	
			IBM_TDB	
-	6850	manag\$4 near10 transact\$4	USPAT;	2003/12/10 10:16
			US-PGPUB;	
i			EPO; JPO;	
ľ			DERWENT;	
			IBM_TDB	
-	4492	(manag\$4 near10 transact\$4) and (transact\$4	USPAT;	2003/12/10 12:41
		and type)	US-PGPUB;	
	ļ		00 10100,	
		- 4 K - V	EPO; JPO;	

-	3778	((manag\$4 near10 transact\$4) and (transact\$4 and type)) and (gateway stub interface API)	USPAT; US-PGPUB; EPO; JPO;	2003/12/10 10:17
			DERWENT; IBM_TDB	
~	0	((((manag\$4 near10 transact\$4) and (transact\$4 and type)) and (gateway stub interface API)) and (transact\$4 near3 attribut\$2)) and (mask\$2 near3 match\$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 10:15
-	197	(((manag\$4 near10 transact\$4) and (transact\$4 and type)) and (gateway stub interface API)) and (transact\$4 near3	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/10 10:17
-	372	(manag\$4 near10 transact\$4) near3	DERWENT; IBM_TDB USPAT;	2003/12/10 14:00
		(message\$2)	US-PGPUB; EPO; JPO; DERWENT; IBM TDB	
-	301	((manag\$4 near10 transact\$4) near3 (message\$2)) and (gateway stub interface API)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 10:26
-	36	(((manag\$4 near10 transact\$4) near3 (message\$2)) and (gateway stub interface API)) and (transact\$4 near3 attribut\$2)	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/10 10:56
-	25	((((manag\$4 near10 transact\$4) near3 (message\$2)) and (gateway stub interface	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/12/10 10:19
	264	API)) and (transact\$4 near3 attribut\$2)) and Mask\$3	EPO; JPO; DERWENT; IBM_TDB	
_		((manag\$4 near10 transact\$4) near3 (message\$2)) and @ad<20001116	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 10:26
-	120	(((manag\$4 near10 transact\$4) near3 (message\$2)) and @ad<20001116) and (gateway stub)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 10:27
_	30	((((manag\$4 near10 transact\$4) near3 (message\$2)) and @ad<20001116) and (gateway stub)) and (transact\$4 near3 attribut\$2)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 11:10
-	46	((((manag\$4 near10 transact\$4) near3 (message\$2)) and @ad<20001116) and (gateway stub)) and (Mask\$3 and attribut\$2)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 15:09
-	5978	709/328,206,204,237,227,230.ccls.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 13:27
-	3298	709/328,206,204,237,227,230.ccls. and @ad<20001116	IBM_TDB USPAT; US-PGPUB; EPO; JPO;	2003/12/10 13:57
-	103	(709/328,206,204,237,227,230.ccls. and @ad<20001116) and (manag\$4 near10 transact\$4) and (transact\$4 and type)	DERWENT; IBM_TDB USPAT; US-PGPUB;	2003/12/10 14:07
		crambacty4, and (transacty4 and type)	EPO; JPO; DERWENT; IBM_TDB	

-	0	Transaction adj type-Attribute adj string	USPAT; US-PGPUB;	2003/12/10 13:27
			EPO; JPO; DERWENT; IBM TDB	
-	0	Transaction adj Attribute adj string	USPAT; US-PGPUB;	2003/12/10 13:28
			EPO; JPO; DERWENT;	
-	79	Transaction adj Attribute	IBM_TDB USPAT; US-PGPUB;	2003/12/10 13:28
			EPO; JPO; DERWENT;	
-	194	Transaction\$3 adj Attribute\$3	IBM_TDB USPAT;	2003/12/10 14:12
1			US-PGPUB; EPO; JPO; DERWENT;	
-	112		IBM_TDB USPAT;	2003/12/11 09:26
		@ad<20001116	US-PGPUB; EPO; JPO; DERWENT;	
-	2621	709/201,247,310,311,313,320.ccls.	IBM_TDB USPAT;	2003/12/10 13:57
			US-PGPUB; EPO; JPO; DERWENT;	
-	1806	709/201,247,310,311,313,320.ccls. and	IBM_TDB USPAT;	2003/12/10 16:17
		@ad<20001116	US-PGPUB; EPO; JPO; DERWENT;	
-	201	(709/201,247,310,311,313,320.ccls. and	IBM_TDB USPAT;	2003/12/10 13:59
		@ad<20001116) and (manag\$4 near3 messag\$4)	US-PGPUB; EPO; JPO; DERWENT;	
-	13	(709/201,247,310,311,313,320.ccls. and	<pre>IBM_TDB USPAT;</pre>	2003/12/10 14:01
		@ad<20001116) and ((manag\$4 near10 transact\$4) near3 (message\$2))	US-PGPUB; EPO; JPO; DERWENT;	
-	12	(manag\$4) adj (transact\$4 near2 messag\$3)	IBM_TDB USPAT;	2003/12/10 16:19
			US-PGPUB; EPO; JPO; DERWENT;	
-	1298	(manag\$4) adj (messag\$3)	IBM_TDB USPAT;	2003/12/10 14:13
			US-PGPUB; EPO; JPO; DERWENT;	
-	2	((manag\$4) adj (messag\$3)) and(Transaction\$3	IBM_TDB USPAT;	2003/12/10 14:12
		adj Attribute\$3)	US-PGPUB; EPO; JPO; DERWENT;	
-	808	((manag\$4) adj (messag\$3)) and @ad<20001116	IBM_TDB USPAT;	2003/12/10 14:14
			US-PGPUB; EPO; JPO; DERWENT;	
-	219	(((manag\$4) adj (messag\$3)) and	IBM_TDB USPAT;	2003/12/10 14:14
		@ad<20001116) and attribut\$4	US-PGPUB; EPO; JPO; DERWENT;	
			IBM_TDB	

	,			
-	. 52	1	USPAT;	2003/12/10 15:02
		@ad<20001116) and attribut\$4) and mask\$4	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		6427140 mm	IBM_TDB	2002/10/10 11
-	2	6427140.pn.	USPAT;	2003/12/10 14:25
		•	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	42	(Transportion add Attribute) and ord 20001116	IBM_TDB	2002/10/10 15 05
-	42	(Transaction adj Attribute) and @ad<20001116	USPAT;	2003/12/10 15:09
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	8	((Transaction adj Attribute) and	USPAT;	2003/12/10 15:05
1		@ad<20001116) and mask\$3	US-PGPUB;	2003/12/10 15:05
		San and the san an	EPO; JPO;	
			DERWENT;	1
			IBM TDB	
-	49	(Mask\$4 adj attribute\$3) and @ad<20001116	USPAT;	2003/12/10 16:02
		, , , , , , , , , , , , , , , , , , ,	US-PGPUB;	2003, 12, 10 10.02
			EPO; JPO;	
1	1		DERWENT;	
			IBM TDB	
-	2	6065037.pn.	USPĀT;	2003/12/10 16:02
		_	US-PGPUB;	
	1		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	63	Mask\$4 adj attribute\$3	USPAT;	2003/12/10 16:12
			US-PGPUB;	
1			EPO; JPO;	
•			DERWENT;	
	_	/700/007 045 010 011 010 000	IBM_TDB	
-	2	=, =, \	USPAT;	2003/12/10 16:15
		@ad<20001116) and (Mask\$4 adj attribute\$3)	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
_	3	(709/201,247,310,311,313,320.ccls. and	<pre>IBM_TDB USPAT;</pre>	2002/12/10 16 15
	_	@ad<20001116) and (Mask\$4 near3 attribute\$3)	US-PGPUB;	2003/12/10 16:15
		database in the state of the st	EPO; JPO;	
			DERWENT;	
[i	i		IBM TDB	
-	0	(709/201,247,310,311,313,320.ccls. and	USPAT;	2003/12/10 16:18
		@ad<20001116) and (mask adj format)	US-PGPUB;	, -=, 10 10.10
		•	EPO; JPO;	
			DERWENT;	
[IBM_TDB	
-	644	(709/201,247,310,311,313,320.ccls. and	USPĀT;	2003/12/10 16:21
		@ad<20001116) and (Attribute\$1 Mask\$3)	US-PGPUB;	
			EPO; JPO;	
	!		DERWENT;	
	_	///	IBM_TDB	
-	0	((709/201,247,310,311,313,320.ccls. and	USPAT;	2003/12/10 16:19
		@ad<20001116) and (Attribute\$1 Mask\$3)) and	US-PGPUB;	
		((manag\$4) adj (transact\$4 near2 messag\$3))	EPO; JPO;	
			DERWENT;	
<u> </u>	490	(/709/201 247 210 211 212 202 1	IBM_TDB	0000 (0.5.45.5
	490	((709/201,247,310,311,313,320.ccls. and @ad<20001116) and (Attribute\$1 Mask\$3)) and	USPAT;	2003/12/10 16:20
			US-PGPUB;	
		((manag\$4) nrea10 (transact\$4 near2 messag\$3))	EPO; JPO;	
ļ		cpp@343 / /	DERWENT;	İ
_	9	((709/201,247,310,311,313,320.ccls. and	IBM_TDB USPAT;	2002/12/10 15 25
	2	@ad<20001116) and (Attribute\$1 Mask\$3)) and	US-PGPUB;	2003/12/10 16:20
		((manag\$4) near10 (transact\$4 near2	EPO; JPO;	
]	messag\$3))	DERWENT;	
	İ	J / /	IBM TDB	

Page 4

-	644	(709/201,247,310,311,313,320.ccls. and @ad<20001116) and (Attribute\$1 nra10 Mask\$3)	USPAT; US-PGPUB; EPO; JPO;	2003/12/10 16:21
			DERWENT; IBM_TDB	
-	6	(709/201,247,310,311,313,320.ccls. and @ad<20001116) and (Attribute\$1 near10 Mask\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 16:29
-	75	(709/201,247,310,311,313,320.ccls. and @ad<20001116) and (Message\$3 near10 attribute\$3)	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/10 16:30
-	17	((709/201,247,310,311,313,320.ccls. and @ad<20001116) and (Message\$3 near10 attribute\$3)) and Mask\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 07:45
-	17	((709/201,247,310,311,313,320.ccls. and @ad<20001116) and (Message\$3 near10 attribute\$3)) and Mask\$3	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/11 07:46
-	75	(709/201,247,310,311,313,320.ccls. and @ad<20001116) and (Message\$3 near10 attribute\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/11 08:02
-	0	<pre>(manag\$4 near10 transact\$4)and (gateway)and ((msessag\$3 near3 generat\$4)and (attrribut\$2) and (mask))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/11 08:35
-	66 ·	(manag\$4 near10 transact\$4)and (gateway)and (messag\$3 near3 generat\$4)and (attribut\$2) and (mask)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/11 08:36
-	66	<pre>(manag\$4 near10 transact\$4)and (gateway)and ((messag\$3 near3 generat\$4)and (attribut\$2) and (mask))</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/11 08:36
-	48	<pre>(manag\$4 near10 transact\$4)and (gateway)and (messag\$3 near3 generat\$4)and (attribut\$2) and (mask)and @ad<20001116</pre>	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/11 09:15
-	2	6560655.pn.	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 09:19
-	2	5706429.pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 09:23
-	2	6065037.pn.	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT;	2003/12/11 09:24
-	51	((attribut\$3) adj (mask\$4)) and @ad<20001116	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2003/12/11 10:50

				1
-	2	((mask\$4)adj(attribute\$4)) near10(match	USPAT;	2003/12/11 10:08
İ		compare\$4)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	((mask\$4)adj(attribute\$4))same(match	USPAT;	2003/12/11 10:51
1		compare\$4)	US-PGPUB;	1
	·		EPO; JPO;	
			DERWENT;	
1		/ / 1 d 4) - 3 d / 1 - 1	IBM_TDB	
-	4	((mask\$4)adj(match compare\$4))same	USPAT;	2003/12/11 10:38
		attribute\$3	US-PGPUB;	
			EPO; JPO;	
[i		DERWENT;]
<u> </u>	8	//magle(4) add /abbrellauba(4) \ aana/mabala	IBM_TDB	1
-	8	((mask\$4)adj(attribute\$4))same(match	USPAT;	2003/12/11 10:49
		compare\$4 retriv\$4)	US-PGPUB;	1
	i		EPO; JPO;	
			DERWENT;	
	0.5	(IBM_TDB	
-	85	(attribut\$3) adj (mask\$4)	USPAT;	2003/12/11 10:50
			US-PGPUB;	•
			EPO; JPO;	ŀ
1			DERWENT;	
	1	///attailmetes) and (magleta)) and	IBM_TDB	0000 (00 (00 00 00 00
-	<u> </u>	(((attribut\$3) adj (mask\$4)) and @ad<20001116)	USPAT;	2003/12/11 13:21
		and(((mask\$4)adj(attribute\$4))same(match	US-PGPUB;	
		compare\$4))	EPO; JPO;	
		Comparedall	DERWENT;	į
_	2	6223172.pn.	IBM_TDB USPAT;	2003/12/11 12 25
		0223172.pit.	US-PGPUB:	2003/12/11 13:37
}			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	6446117.pn.	USPAT;	2002/12/11 12:27
	**		US-PGPUB;	2003/12/11 13:37
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	<u> </u>		I TOM IDD	1